



SAFETY DATA SHEET

MAGNESIUM TRISILICATE

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY:

PRODUCT NAME: MAGNESIUM TRISILICATE
PART No.: RM153
SUPPLIER: J M Loveridge plc
Southbrook Road, Southampton
Hampshire
SO15 1BH
Tel: 023 8022 2008
Fax: 023 8022 2117

2. COMPOSITION/INFORMATION ON INGREDIENTS:

CAS No.: 1343-88-0

3. HAZARDS IDENTIFICATION:

Not regarded as a health hazard under current legislation.
Slightly irritating to skin, eyes and respiratory system.

4. FIRST AID MEASURES:

GENERAL: IN ALL CASES OF DOUBT OR WHEN SYMPTOMS PERSIST, ALWAYS SEEK MEDICAL ATTENTION

INHALATION: Remove affected person from exposure, rest and keep warm. If recovery not rapid or complete seek medical attention.

INGESTION: DO NOT INDUCE VOMITING. In case of spontaneous vomiting, be sure that vomit can freely drain because of danger of suffocation. Only when conscious, rinse mouth with plenty of water and give plenty of water to drink - (approx 500ml). Obtain medical attention if adverse symptoms occur.

SKIN: Causes mechanical irritation. Wash affected area with plenty of soap and water. If irritation persists, seek medical attention.

EYES: Rinse immediately with plenty of water for at least 5 minutes while lifting the eye lids. Seek medical attention. Continue to rinse.

5. FIRE FIGHTING MEASURES:

EXTINGUISHING MEDIA: Non combustible or flammable and normally not a fire risk. Use extinguishing media

suitable against surrounding fire or the cause of fire.

6. ACCIDENTAL RELEASE MEASURES:

PERSONAL PRECAUTION IN SPILL:	Avoid breathing dust.
PRECAUTIONS TO PROTECT ENVIRONMENT:	Prevent contamination of soil, drains and surface water.
SPILL CLEANUP METHODS:	Avoid dry sweeping or other methods which raise dust. Vacuum or wet-sweep and place into a suitable closable, labelled container for disposal. Wash the area clean with water and detergent, observing environmental requirements.

7. HANDLING AND STORAGE:

USAGE PRECAUTIONS:	The product should be used in accordance with good industrial safety practice and hygiene principles for handling and storing of chemicals. Avoid creating or raising dust. Ensure good ventilation and local exhaust extraction in work place.
STORAGE PRECAUTIONS:	In (original) container securely sealed to avoid dusting.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION:

INGREDIENT COMMENTS:	No specific OES assigned, however for dusts of any kind, ensure LTEL (8-hour TWA ref. period) level does not exceed 10 mg.m ³ for total inhalable dust or 4 mg.m ³ for respirable dust (or) as recommended in current edition of EH40.
VENTILATION:	Provide adequate general and local exhaust ventilation.
RESPIRATORS:	If unable to control dust emissions below OES limits, an approved dust protection to P2 level of protection is recommended.
PROTECTIVE GLOVES:	Use protective gloves.
EYE PROTECTION:	Use eye protection if eye contact is likely.
OTHER PROTECTION:	Wear personal protective equipment appropriate to the quantity of material handled.
HYGIENIC WORK PRACTICES:	SKIN PROTECTION - apply barrier cream to hands and exposed skin. Regularly vacuum dust to minimise the potential of air-borne exposure.

9. PHYSICAL AND CHEMICAL PROPERTIES:

APPEARANCE:	White crystalline powder.		
BULK DENSITY:	200 - 600 kg/m ³		
pH-VALUE, DILUTED SOLUTION:	> 12	Concentration % M:	(10% aqueous suspension)
SOLUBILITY DESCRIPTION:	Insoluble in water.		

10. STABILITY AND REACTIVITY:

STABILITY:	Stable under normal conditions of use.
CONDITIONS TO AVOID:	Avoid excessive moisture.
MATERIALS TO AVOID:	In aqueous solution will react with aluminium, zinc and tin and their alloys.
HAZARDOUS DECOMP. PRODUCTS:	When reacted in aqueous solution, will evolve hydrogen gas.

11. TOXICOLOGICAL INFORMATION:

HEALTH HAZARDS, GENERAL:	Primary hazard by all routes of entry is the alkalinity when material is in solution or suspension.
INHALATION:	High concentration of dust may cause transient irritation to the upper respiratory tract.
INGESTION:	Ingestion of small amounts is unlikely to cause any adverse effects.
SKIN:	Repeated or prolonged contact may cause mild irritation and/or drying (defatting) of skin.
EYES:	Dust may cause mechanical irritation to eyes.

12. ECOLOGICAL INFORMATION:

ECOLOGICAL INFORMATION:	No specific data or information available regarding environmental impact. High alkalinity of material when in solution or suspension may pose localised adverse effects.
--------------------------------	--

13. DISPOSAL CONSIDERATIONS:

DISPOSAL METHODS:	Disposal should be in accordance with the principles of Duty of Care observing local and national regulations.
--------------------------	--

14. TRANSPORT INFORMATION:

GENERAL:	Not classified as hazardous for transport.
-----------------	--

15. REGULATORY INFORMATION:

COMMENTS:	This product does not require classification, however the following is suggested for supply - Avoid breathing dust.
------------------	--

Avoid contact with eyes.
Product is caustic when in solution.

16. OTHER INFORMATION:

INFORMATION SOURCES:	This product has been classified in accordance with CHIP3 regulations.
REVISION COMMENTS:	Edition 01; Revised item(s):
ISSUED BY:	MK
SDS No.:	287
DATE:	12/07/02
DISCLAIMER:	The foregoing data has been compiled for safety information only and does not form part of any selling specification. Information contained in this Data Sheet is to the best of JMLs knowledge correct at the time of publication. Customers should always satisfy themselves, that the product which they have selected is entirely suitable for their purpose under their conditions of use and in compliance with current regulations. For any further information, please contact the supplier.